

Publications – John Walton

1. Formation of a trivalent chromium conversion coating on AA2024-T351 alloy.
J. Qi, T. Hashimoto, J. Walton, X. Zhou, P. Skeldon and G. E. Thompson
J. Electrochem. Soc. 2016; 163(2): C25
[doi:10.1149/2.0771602jes](https://doi.org/10.1149/2.0771602jes)
2. Influence of pre- and post-treatments on formation of a trivalent chromium conversion coating on AA2024 alloy.
J Qi, A. Nemcova, J. R. Walton, X. Zhou, P. Skeldon and G. E. Thompson
Thin Solid Films 2016; 616: 270
[doi:10.1016/j.tsf.2016.08.044](https://doi.org/10.1016/j.tsf.2016.08.044)
3. Film thickness measurement and contamination layer correction for quantitative XPS
J. Walton, M. R. Alexander, N. Fairley, P. Roach and A. Shard
Surf. Interface Anal. 2016; 48: 164
[doi:10.1002/sia.5934](https://doi.org/10.1002/sia.5934)
4. Spectroscopic studies of chromium VI formed in the trivalent chromium conversion coatings on aluminium.
J. Qi, J. Walton, G. E. Thompson, S. P. Albu and J. Carr
J. Electrochem. Soc. 2016; 163(7): C357-C363
[doi:10.1149/2.0531607jes](https://doi.org/10.1149/2.0531607jes)
5. Anodic film growth of titanium oxide using the 3-electrode electrochemical technique: effects of oxygen evolution and morphological considerations.
Z. J. Liu, X. Zhong, J. Walton and G. E. Thompson
J. Electrochem. Soc. 2016; 163(3): E75-E82
[doi:10.1149/2.0181603jes](https://doi.org/10.1149/2.0181603jes)
6. Passivation behavior of 304 stainless steel in an ionic liquid with a fluorinated anion.
S. Molchan, G. E. Thompson, J. Walton, P. Skeldon, A. Tempez and S. Legrande
App. Surf. Sci. 2015; 357: 37
[doi:10.1016/j.apsusc.2015.08.189](https://doi.org/10.1016/j.apsusc.2015.08.189)
7. Trivalent chromium conversion coating formation on aluminium.
J.-T. Qi, T. Hashimoto, J. R. Walton, X. Zhou, P. Skeldon and G. E. Thompson
Surface and Coatings Technology 2015; 280: 317
[doi:10.1016/j.surfcoat.2015.09.024](https://doi.org/10.1016/j.surfcoat.2015.09.024)
8. Passivation behavior of 304 stainless steel in an ionic liquid with a fluorinated anion.
I. S. Molchan, G. E. Thompson, J. Walton, P. Skeldon, A. Tempez and S. Legrande
Appl. Surf. Sci. 2015; 357: 37
[doi:10.1016/j.apsusc.2015.08.189](https://doi.org/10.1016/j.apsusc.2015.08.189)
9. Microscopic study of the corrosion behavior of mild steel in ionic liquids for CO₂ capture applications.
I. S. Molchan, G. E. Thompson, P. Skeldon, R. Lindsay, J. Walton, E. Kouvelos, G. Em. Romanos, A. G. Kontos, M. Arfanis, E. Siranidi, L. F. Zubeir, M. C. Kroon, J. Klockner, B. Iliev and T. J. S. Schubert.
RSC Advances 2015; 44, 35181
[doi: 10.1039/C5RA01097G](https://doi.org/10.1039/C5RA01097G)
10. Development of cerium-rich Layers on anodic films formed on pure aluminium and AA7075 T6 Alloy.
I.V. Gordovskaya, T. Hashimoto, J. Walton, M. Curioni, G.E. Thompson and P. Skeldon
Journal of the Electrochemical Society 2014, 161 (14) C601-C606
[doi: 10.1149/2.0091501jes](https://doi.org/10.1149/2.0091501jes)

- 11.** Effect of temperature on passive film formation of UNS N08031 Cr-Ni alloy in phosphoric acid contaminated with different aggressive anions.
C. Escriba-Cerdan, E. Blasco-Tamarit, D.M. Garcia-Garcia, J. Garcia-Anton, R. Akid and J. Walton
Electrochimica Acta 2013; 111: 552
[doi: 10.1016/j.electacta.2013.08.040](https://doi.org/10.1016/j.electacta.2013.08.040)
- 12.** Application of XPS imaging analysis in understanding interfacial delamination and X-ray radiation degradation of PMMA.
H. Paio, N. Fairley and J. Walton
Surface Interface Anal 2013; 45: 1742
[doi: 10.1002/sia.5316](https://doi.org/10.1002/sia.5316)
- 13.** Comparison of the behaviours of chromate and sol-gel coatings on aluminium.
Y. Liu, Z. Feng, J. Walton, G. E. Thompson, P. Skeldon and X. Xhou
Surface and Interface Analysis 2013; 45: 1446
[doi: 10.1002/sia.5206](https://doi.org/10.1002/sia.5206)
- 14.** Three-dimensional X-ray photoelectron tomography on the nanoscale: limits of data processing by principal component analysis.
S. Hajati, J. Walton and S. Tougaard
Microscopy and Microanalysis 2013; 19: 3: 751-760
[doi:10.1017/S1431927613000354](https://doi.org/10.1017/S1431927613000354)
- 15.** Cryolite vein XPS imaging from an industrial grade carbon
M. Coulombe, M. Lebeuf, N. Fairley, J. Walton and G. Soucy
Journal of Electron Spectroscopy and Related Phenomena 2012, 185, 588-597
[doi: 10.1016/j.elspec.2013.01.001](https://doi.org/10.1016/j.elspec.2013.01.001)
- 16.** Calibration of the scanning Kelvin probe force microscope under controlled environmental conditions.
T. Cook, Z. Barrett; S.B. Lyon, H.N. McMurray and J. Walton
Electrochimica Acta, 2012: 66; 100-105
[doi:10.1016/j.electacta.2012.01.054](https://doi.org/10.1016/j.electacta.2012.01.054)
- 17.** Photoelectron spectroscopic study of the inhibition of mild steel corrosion by molybdate and nitrite ions.
A.A Al-Refaie, J. Walton, R.A. Cottis and R. Lindsay
Corrosion Science 2010: 52; 422
[doi:10.1016/j.corsci.2009.09.030](https://doi.org/10.1016/j.corsci.2009.09.030)
- 18.** Surface modification of pyrolyzed carbon fibres by cyclic voltammetry and their characterisation with XPS and dye absorption.
P. Georgiou, J. Walton and J. Simitzis
Electrochimica Acta 2010: 55; 1207
[doi:10.1016/j.electacta.2009.09.068](https://doi.org/10.1016/j.electacta.2009.09.068)
- 19.** Data scaling for quantitative imaging XPS.
J. Walton and N. Fairley
Special edition on Multivariate Analysis. Surface and Interface Analysis 2009: 41; 114
[doi: 10.1002/sia.2974](https://doi.org/10.1002/sia.2974)

- 20.** Noise reduction procedures applied to XPS imaging of depth distribution of atoms on the nanoscale.
S. Hajati, S. Tougaard, J. Walton and N. Fairley
Surface Science 2008 : 602; 3064
[doi:10.1016/j.susc.2008.08.05](https://doi.org/10.1016/j.susc.2008.08.05)
- 21.** XPS spectromicroscopy: exploiting the relationship between images and spectra.
J. Walton and N. Fairley
Proceedings ECASIA'07 (Brussels, 2007)
Surface and Interface Analysis 2008: 40; 478
[doi:10.1002/sia2731](https://doi.org/10.1002/sia2731)
- 22.** Aerosol damage to a microchannel plate analysed by X-ray photoelectron spectromicroscopy
J. Walton
Surface and Interface Analysis 2007; 39: 337
[doi:10.1002/sia.2510](https://doi.org/10.1002/sia.2510)
- 23.** Characterisation of a Kratos Axis Ultra with spherical mirror analyser for XPS imaging.
J. Walton and N. Fairley
Surface and Interface Analysis 2006; 38, 8, 1230
[doi:10.1002/sia.2381](https://doi.org/10.1002/sia.2381)
- 24.** Transmission function correction for XPS spectrum imaging.
J. Walton and N. Fairley, Proceedings ECASIA'05 (Vienna, 2005)
Surface and Interface Analysis 2006; 38: 388
[doi:10.1002/sia.2131](https://doi.org/10.1002/sia.2131)
- 25.** A traceable quantification procedure for a multi-mode X-ray photoelectron spectrometer.
J. Walton and N. Fairley
Journal of Electron Spectroscopy and Related Phenomena 2006; 150: 15
[doi:10.1016/j.elspec.2005.08.001](https://doi.org/10.1016/j.elspec.2005.08.001)
- 26.** Noise reduction in X-ray photoelectron spectromicroscopy by a singular value decomposition procedure.
J. Walton and N. Fairley
Journal of Electron Spectroscopy and Related Phenomena 2005; 148: 29
[doi:10.1016/j.elspec.2005.02.003](https://doi.org/10.1016/j.elspec.2005.02.003)
- 27.** Quantitative surface chemical state microscopy by X-ray photoelectron spectroscopy.
J. Walton and N. Fairley
Surface and Interface Analysis 2004; 36: 89
[doi:10.1012/sia.1654](https://doi.org/10.1012/sia.1654)
- 28.** Fatigue crack nucleation in austempered ductile cast iron.
T.J. Marrow, H. Cetinel, M. Al-Zalman, S. McDonald, P.J. Withers and J. Walton
Fatigue and Fracture of Engineering Materials and Structures 2002; 25: 635
[doi:10.1046/j.1460-2695.2002.00503.x](https://doi.org/10.1046/j.1460-2695.2002.00503.x)
- 29.** Oxide formation during etching of gallium arsenide
D. Ghidaoui, S.B. Lyon, G.E. Thompson and J. Walton
Corrosion Science 2002; 44: 501
[doi:10.1016/s0010-938x\(01\)00086-5](https://doi.org/10.1016/s0010-938x(01)00086-5)
- 30.** XPS, SIMS and ESR studies of UV/ozone-irradiated silk and wool.
J. Shao, C.M. Carr, C.P. Rowlands and J. Walton
Journal of the Textile Institute, Part 1: Fibre Science and Technology 1999; 90(4), 459
[doi:10.1080/00405000.1999.10750045](https://doi.org/10.1080/00405000.1999.10750045)

- 31.** X-ray photoelectron spectroscopic (XPX) and time-of-flight secondary ion mass spectroscopy. (ToF-SIMS) study of the tarnishing of metal-coated textiles.
D. Howell, R. Mitchell, C.M. Carr and J. Walton,
Journal of the Textile Institute, Part 1: Fibre Science and Technology 1999; 90(3): 50
[doi:10.1080/00405009908659478](https://doi.org/10.1080/00405009908659478)
- 32.** Sectional examination of thin films by atomic force microscopy.
F. Echeverria, P. Skeldon, G.E. Thompson, J.R. Walton, H. Habazaki and K. Shimizu
Electrochemical and Solid State Letters 1998; 1; 24
[doi:10.1149/1.1390622](https://doi.org/10.1149/1.1390622)
- 33.** Inter-relationships between alloy composition, passive film composition and pitting behaviour of Al-Mo and Al-Mo-Si metastable alloys.
A. Wolowik, M. Janik-Czachor, Z. Werner, G.C. Wood, P. Skeldon, G.E. Thompson, J.R. Walton and X. Zhou
Corrosion Science 1998; 40(4/5): 731
[doi:10.1016/s0010-938x\(97\)00175-3](https://doi.org/10.1016/s0010-938x(97)00175-3)
- 34.** An investigation into the effect of laundering on the repellency behavior of a fluorchemical-treated cotton fabric.
S. Arunyadej, R. Mitchell, J. Walton, and C.M. Carr
Journal of the Textile Institute, Part 1: Fibre Science and Technology 1998; 89(1): No. 4, 696
[doi:10.1080/00405000.1998.11090908](https://doi.org/10.1080/00405000.1998.11090908)
- 35.** Atomic force microscopy of anodised zirconium substrates.
Y.Kurima, J.Walton, G.E.Thompson, K.Shimizu, R.C.Newman, and G.C.Wood
Phil. Mag. B 1994; 70: 1
[doi:10.1080/01418639408240190](https://doi.org/10.1080/01418639408240190)
- 36.** The use of an anaerobic electrochemical cell in an XPS investigation of polyaniline.
G.Morea, J.C.Vickerman and J.Walton
Proceedings ECASIA 93 (Catania 1993) Surface and Interface Analysis 1994; 22: 609
[doi:10.1002/sia.740220113](https://doi.org/10.1002/sia.740220113)
- 37.** An XPS and AES study of the ageing of a Co-20%Ni metal evaporated tape.
B.Mitton, J.Walton and G.E.Thompson
Surface and Interface Analysis 1993; 20: 36
[doi:10.1002/sia.740200107](https://doi.org/10.1002/sia.740200107)
- 38.** The surface of liquid dilute metal alloys in vacuum.
A.Labatz, C.Rose-Innes and J.Walton
J. Phys. Condens. Matter 1990; 2: 3073
[doi:10.1088/0953-8984/2/13/017](https://doi.org/10.1088/0953-8984/2/13/017)
- 39.** Atmospheric corrosion initiation by sulphur dioxide and particulate matter
(i). a test cell apparatus for simulated atmospheric corrosion studies.
J.R.Walton, J.B.Johnson and G.C.Wood,
British Corrosion Journal 1982; 17: 2: 59
[doi:10.1179/000705982798274462](https://doi.org/10.1179/000705982798274462)
- 40.** Atmospheric corrosion initiation by sulphur dioxide and particulate matter
(ii). Characterisation and corrosivity of individual atmospheric particulate pollutants
J.R.Walton, J.B.Johnson, G.C.Wood
British Corrosion Journal 17,2,1982,65
[doi:10.1179/000705982798274435](https://doi.org/10.1179/000705982798274435)